

**AMENDED  
APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office OCT 23 2003  
 Returned to applicant for correction DEC 03 2003  
 Corrected application filed APR 02 2004  
 Map filed APR 02 2004

\*\*\*\*\*

The applicant **Barrick Goldstrike Mines Inc.** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. **June 1973, Colorado**

\*\*\*\*\*

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **0.028 cfs, not to exceed 2.0 acre-feet per year second-feet**
  - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Industrial (air cooled power plant)**
4. If use is-for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kinds of animals to be watered
  - (c) Other use (describe fully under No. 12. "Remarks")
  - (d) Power:
    - (1) Horsepower developed **120 megawatts**
    - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **SW¼ NW¼ Section 34, T.20N., R.22E., MDB&M, or at a point from which the NW corner of said Section 34 bears North 19°23' West, a distance of 1735 feet.**
6. Place of Use **approximately 15 acres in the SW¼ NW¼ of Section 34, T.20N., R.22E., MDB&M, as shown on the supporting map.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **Drilled well, pump, motor, and distribution system**
9. Estimated cost of works **\$1,000,000**
10. Estimated time required to construct works **3 years**
11. Estimated time required to complete the application of water to beneficial use **5 years**
12. Remarks: **Water will be used for power plant related purposes including potable water, process water, and washdown water. Consumptive use will not exceed 2.0 acre-feet per year.**

By **Bruce R. Scott, Resource Concepts, Inc.**  
**s/Bruce R. Scott**  
**340 North Minnesota Street**  
**Carson City, Nevada 89703**

Compared cmf/ sam aq/sam

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.028 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 3, 2006

Proof of completion of work shall be filed on or before:

January 3, 2007

Water must be placed to beneficial use on or before:

December 3, 2009

Proof of the application of water to beneficial use shall be filed on or before:

January 3, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of December, A.D. 2004

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

